




GRU A MONTAGGIO RAPIDO
GRUE A MONTAGE RAPIDE
GRUA DE RAPIDO MONTAJE
GRUA DE MONTAGEM RAPIDA
QUICK SELFERECTING CRANE
HYDRAULISCHER SCHNELLMONTAGEKRAN



EN 14439-C25
FEM 1.001 - A3

Curve di carico — Courbes de charges — Load diagrams — LastKurven — Curvas de cargas

	3	20	35	m
	1000	1000	1000	kg


	12	14	16	18	18,1	20	20,9	22	24	26	28	30	32	34	36	m
	4000	3300	2790	2410		2120	2000	1880	1690	1520	1390	1270	1170	1080	1000	kg
							2000	1880	1690	1520	1390	1270	1170	1080	1000	kg
					2500	2215		1980	1780	1620	1490	1370	1270	1180	1100	kg

	12,9	14	16	18	19,6	20	22	22,7	24	26	28	30	32	m
	4000	3630	3080	2660		2340	2080	2000	1860	1690	1540	1410	1300	kg
								2000	1860	1690	1540	1410	1300	kg
					2500	2430	2170		1960	1790	1640	1510	1400	kg

	12,3	14	16	18	18,5	20	21,5	22	24	26	27	m
	4000	3400	2880	2490		2180	2000	1940	1740	1570	1500	kg
							2000	1940	1740	1570	1500	kg
					2500	2280		2040	1840	1670	1600	kg

	3	14	m
	4000	4000	kg

Reazioni — Reactions — Réactions — Eckdrücke — Reacciones — Reacções




R1 ● 27 t ■ 18 t


▲ 15 t ○ 25,6 t

- Reazioni in servizio | Reactions in service | Réactions en service
Reaktionskräfte in betrieb | Reacciones en servicio | Em serviço
- Reazioni fuori servizio | Reactions out of service | Réactions hors service
Reaktionskräfte außer betrieb | Reacciones fuera de servicio | Fora de serviço
- ▲ Peso della gru senza assali | Dead weight without transport axles | Poids de construction sans essieux
Konstruktionsgewicht ohne transportachse | Peso de la grua sin tren de transporte | peso de la grua sem carro de transporte
- Peso zavorra rotante | Ballast weight | Poids du lest
Ballastgewicht | Peso de lastre | Peso de lastre rotativo

Montaggio – Montage – Erection – Montage – Montaje – Montagem



Trasporto – Transport – Transport – Transport – Transporte



P1	kg	8000
P2	kg	11000
Ptot	kg	19000

Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

Sollevamento Hoisting Levage Heben Elevaciòn Elevaçao	m/min t							11 kW
		6	25	50	3	12,5	25	
		2,0	2,0	1,0	4,0	4,0	2,0	

Carrello Trolleying Distribuciòn				0 → 44	m/min	3 kW
				0 → 17	m/min	3 kW

Rotazione Slewing Orientaciòn			1a	0 → 0.8	giri/min tr/min rp/min	4 kW
			2a			
			3a			

Rete elettrica – Réseau – Mains supply – Netzstrom – Red	400V – 50 Hz
--	--------------

Potenza elettrica necessaria – Puissance électrique nécessaire Necessary electric power – Anschlusswert – Potencia electrica necesaria	21kVA
---	-------

EN 14439–C25 FEM 1.001–A3
